(*f*) No.

(*g*) Does not arise.

(*h*) Yes.

(*i*) No.

(*j*) No.

(*k*) No answer necessary.

(*l*) The Deputy Inspector, Trichur, who visited the school on the occasions referred to did not consider the condition of the building in any way dangerous calling for any immediate action. So, all that he did was to draw the attention of the Headmaster on 1st Kumbham 1115 and 4th Karkadagam 1115 and of the Manager on 28th Edavam 1115 to the need for repair of the building, and it was as a result of this that the Manager carried out the repair of part of the building.

ERNAKULAM BOAT JETTY BASIN—DEEPENING OF TANK

316. മിസ്റ്റർ ബി. എം. പീറർ: താഴെ പറയുന്ന ചോദ്യങ്ങൾക്കു ബഹുമാനപ്പെട്ട ഗവൺമെണ്ടിൽനിന്നും സദയം മറുപടി പറയുമൊ.—

(എ) എറണാകുളം ബോട്ടുജെട്ടി കുളം ക ക ക ങ-ൽ താഴ്ത്തീട്ടുണ്ടൊ;

(ബി) ഉണ്ടെങ്കിൽ ടി ജോലി എന്നു് ആരംഭിച്ചു; എപ്പോൾ അവസാനിപ്പിച്ചു;

(സി) ഈ കൊല്ലത്തിലും പ്രസ്തുത കുളം താഴ്ത്തുവാൻ വിചാരിക്കുന്നുണ്ടൊ;

(ഡി) അങ്ങിനെ ഉണ്ടെങ്കിൽ എന്നു തുടങ്ങി എപ്പോൾ അവസാനിപ്പിക്കും;

(ഇ) പ്രസ്തുത പണിക്കു് കഴിഞ്ഞ കൊല്ലം ചിലവാക്കിയ തുക എന്തെന്നും ഈ കൊല്ലം ചിലവാക്കുവാൻപോകുന്ന തുക എത്രയെന്നും പറയാമൊ ?

മിസ്റ്റർ വി. കെ. അരവിന്ദാക്ഷമേനോൻ :

(എ) ഉണ്ടു്.

(ബി) ക ക ക ങ ധനു ക-ാംനു- ആരംഭിച്ചു. മകരം ന0-ാംനു- അവസാനിപ്പിച്ചു.

(സി) ഉവ്വു്.

(ഡി) ക കന്നു മകരം ഫ ങ-ാംനു- തുടങ്ങി മീനം ഫ-ാംനു- അവസാനിപ്പിച്ചു.

LIBRARY ARCHIVES Kerala Legislative Assembly

(ഇ) കഴിഞ്ഞ കൊല്ലം ഈ പണിക്കു് നൽന്ന കു. ചിലവായിട്ടുണ്ടു് ഈ കൊല്ലത്തിലെ പണിക്കു് ഒരു കു.യാണു് എസ്റ്റിമേറു് സംഖ്യ.

AQUEDUCT IN ALOOR VILLAGE—REPAIRS TO—RESOLUTION REGARDING

317. Mr. C. V. Iyyu *(Kunnamkulam):* With reference to question No. 216 dated 31st January 1941, will Government be pleased to state.—

(*a*) whether the President of the meeting to whom a full report made by the Assistant Engineer was forwarded has not, in his letter dated 21st November 1940, challenged many of the statements contained in the report referred to ;

(*b*) whether the President of the meeting had not in his aforeme-ntioned letter stated that he was prepared to prove his statement if the Chief Engineer would visit the place ;

(*c*) whether the Chief Engineer visited the place ;

(*d*) whether the President of the meeting had pointed out in his letter dated 21st November 1940 that such useful irrigation works are rendered almost useless by continued neglect?

Mr. V. K. Aravindaksha Menon *(Chief Engineer):*

(*a*) Mr. K. T. Mathew in his letter dated 21st November 1940 stated that there are bad leakages in the trough carrying water to the lands. Action has been taken to effect the necessary repairs. He further stated that the maintenance of the *chals* is not being done by the ryots. The Public Works Department do not maintain petty irrigation channels of this nature.

(*b*) Yes.

(*c*) No. The Assistant Engineer, Eastern Division, has been asked to attend to whatever works as are necessary.

(*d*) Yes. But from information received the lands commanded by this work have been successfully cultivated during the last season.

LIBRARY ARCHIVES Kerala Legislative Assembly